

		<b>Jøtul F 130</b>			
		<b>Jøtul F 134 BP (sokkel / base / wo side window cat. No. 30049161</b>			
		<b>Jøtul F 135 BP (sokkel / base / w side window cat. No. 30049128</b>			
		<b>Jøtul F 136 BP (Søyle / pedestal / wo side window cat. no. 30049160</b>			
		<b>Jøtul F 137 BP (Søyle / pedestal / w side window cat. no. 30049135</b>			
		<b>BP= Sort lakk / Black Paint, UP= Ulakkert / Unpainted</b>			
<i>Pos. no.</i>	<i>Spareparts</i>	<i>Consist of pos.no:</i>	<i>Benevnelse</i>	<i>Description</i>	<i>Dim./Spec.</i>
		<b>Felles deler</b>			
1	12051331		Bunnplate Brennkammer BP	Bottom Plate Burn Chamber BP	Cast Iron min 4mm thickness
2	12051332		Fyrbunn	Inner Bottom	Cast Iron min 4mm thickness
3			Glassholder	Glass Holder	Cast Iron min 4mm thickness
4	12049694		Håndtak dør BP	Handle Door BP	Cast Iron min 4mm thickness
5			Dør BP	Door BP	Cast Iron min 4mm thickness
6	12051335		Topplate BP	Top Plate BP	Cast Iron min 4mm thickness
7	12051336		Blendelukk røykuttak BP	Cover Flue Outlet BP	Cast Iron min 4mm thickness
8	12051337		Bakplate BP	Rear Plate BP	Cast Iron min 4mm thickness
30		88, 89, 90, 91, 92,3	Brennkammer Komplet	Burn Chamber Complete	Steel
31	12051333	3,84	Glassholder med pakning	Glass Holder Incl. Gasket	Cast Iron min 4mm thickness
32	10049248		Låsemekanisme dør komplett	Locking Mekanism Door Complete	Stainless Steel
33	12051330	5, 80 ,81(2pcs), 82, 83(2pcs), 3(2 pcs), 84(2pcs), 65(4 pcs), 4, 32, 63(3 pcs), 64 (4 pcs)	Dør med pakninger BP	Door Incl.Gaskets BP	Cast Iron min 4mm thickness
34	10049686	44,45,46,47,48,49	Vermikulitt sett	Vermiculite set	Vermiculite 600Kg/m <sup>3</sup>
40	10026076		Demper dørhåndtak	Damper Door Handle	Silicone 1mm
41	10049211		Glass dør	Glas Door	Ceramic glass 4mm thick
43	10025980		Hengsel dør	Hinge Door	Steel
44			Vermikulitt side bak	Vermiculite Side Back	Vermiculite 600Kg/m <sup>3</sup>
45			Vermikulitt brennplate nedre	Vermiculite Burn Plate Lower	Vermiculite 600Kg/m <sup>3</sup>
46			Vermikulitt hvelv	Vermiculite Baffle	Vermiculite 600Kg/m <sup>3</sup>
47			Vermikulitt brennplate øvre	Vermiculite Burn Plate Upper	Vermiculite 600Kg/m <sup>3</sup>
50	10026400		Avstandshylse	Distance Sleeve	Steel
51	10024023		Distansehylse Ø8x6 L=27,5	Distancelock Ø8x6 L=27,5	Steel
52	10049384		Skjermplate bak	Heat Deflector Rear	Aluzinc DX51D AZ
53	10023998		Hylse Ø10xØ6,2x15	Sleeve Ø10xØ6,2x15	Steel
61	10023666		Mutter sekskant med flens M6 DIN 6923	Nut Hexagon Cap Flange M6 DIN 6923	St8.8 / ANSI B18.2
62	10023547		Skrue sekskant med flens M6x35 DIN 6921	Screw Hex Cap Flange M6x35 DIN 6921	St8.8 / ANSI B18.2
63	10023545		Skrue sekskant med flens M6x12 DIN 6921	Screw Hex Cap Flange M6x12 DIN 6921	St8.8 / ANSI B18.2
64	10023586		Skrue senkh innv6k DIN7991 M6x12-10.9	Flat Head Countersunk Socket DIN7991 M6x12-10.9	St10.9
65	10023541		Skrue sekskant med flens M6x16 DIN 6921	Screw Hex Cap Flange M6x16 DIN 6921	St8.8 / ANSI B18.2
66	10023535		Skrue Seksk M6x50 HelgJ St8.8 EIZn	Screw Hex M6x50 St8.8 EIZn	St8.8 / ANSI B18.2
67	10023475		Mutter sekskant M6 DIN 934	Nut Hexagon M6 DIN 934	St8.8 / ANSI B18.2
68	10023576		Skrue sett M6X25 DIN916	Threadpin M6X25 DIN916	
69	10023712		Skrue sett M8x30 DIN916	Threadpin M8x30 DIN916	Steel
80		50027205 (5m), 50027241 (50m) 50027291 (100m)	Pakning til dørglass	Gasket For Door Glass	PAKNING LD 250-2 graph Ø6,4x1410mm
81		50027204 (5m), 50027240 (100m)	Pakning under glass	Gasket Under Glass	PAKNING FLAT V125-8MMX5 ML 40mm
82		50027202 (5m), 50027234 (50m)	Dørpakning	Door Gasket	PAKNING 360 Ø8,6X5 M 500mm
83		50027202 (5m), 50027234 (50m)	Dørpakning	Door Gasket	PAKNING 360 Ø8,6X5 M 380mm
84		50027203 (5m), 51013861 (25m)	Dørpakning for glassholder	Door Gasket For Glass Clips	LD 375-2 Ø9,5 880mm
85		50027204 (5m), 50027240 (100m)	Pakning Blindlokk	Gasket Blind Cover	V-125x8 graph W/A L=20mm
88	10049680		Brennkammer enhet	Brennkammer unit	
89	10049681		Ventilasse	Air box	

		<b>Jøtul F 130</b>			
		<b>Jøtul F 134 BP (sokkel / base / wo side window cat. No. 30049161</b>			
		<b>Jøtul F 135 BP (sokkel / base / w side window cat. No. 30049128</b>			
		<b>Jøtul F 136 BP (Søyle / pedestal / wo side window cat. no. 30049160</b>			
		<b>Jøtul F 137 BP (Søyle / pedestal / w side window cat. no. 30049135</b>			
		<b>BP= Sort lakk / Black Paint, UP= Ulakkert / Unpainted</b>			
<i>Pos.</i>	<i>Spareparts</i>	<i>Consist of pos.no:</i>	<i>Benevnelse</i>	<i>Description</i>	<i>Dim./Spec.</i>
90	10049682		Askeskuff	Ash tray	
91	10049683		Røykstuss dripless	Dripless Smoke Outlet	
92	10049684		Deksel røykuttak	Smoke Outlet Cover	
103	10023650		Skrue sett M6x50 DIN 916	Threadpin M6x50 DIN 916	
		<b>F 134 cat. no. 30049161 BP</b>			
13	12051334		Side høyre sokkel BP	Side Right Base BP	Cast Iron min 4mm thickness
14	12051342		Sokkel bunn BP	Base Bottom BP	Cast Iron min 4mm thickness
15	12051343		Side venstre sokkel BP	Side Left Base BP	Cast Iron min 4mm thickness
16	12051344		Uteluft dekkseil BP	Cover Plate For Outside Air BP	Cast Iron min 4mm thickness
17	12051345		Sokkel bak BP	Back Plate Base BP	Cast Iron min 4mm thickness
18	12051346		Venstre sideplate uten glass BP	Left Side Plate Without Glass BP	Cast Iron min 4mm thickness
19	12051348		Høyre sideplate uten glass BP	Right Side Plate Without Glass BP	Cast Iron min 4mm thickness
48			Vermikulitt side uten glass	Vermiculite Side Without Glass	Vermiculite 600Kg/m <sup>3</sup>
55	10026268		Beskyttelsehette M8 6K sort	Protection Cap M8 Hex Black	Ceramic glass 4mm thick
60	10023780		Skive Ø6,4xØ18x1.6 Elzn DIN 9021	Washer Ø6.4xØ18x1.6 Elzn DIN 9021	
61	10023666		Mutter sekskant med flens M6 DIN 6923	Nut Hexagon Cap Flange M6 DIN 6923	St8.8 / ANSI B18.2
62	10023547		Skrue sekskant med flens M6x35 DIN 6921	Screw Hex Cap Flange M6x35 DIN 6921	St8.8 / ANSI B18.2
76	10038455		Skrue senkh tre Ø5,0x50 TX	Screw Countersunk Wood Ø5,0x50 TX	
77	10023470		6kt skr M8x25 DIN933 8.8 Elzn	Hex Cap Screw DIN933-M8x25-8.8 Zinc Plated	
78	10049669		starlock sterk M8	Starlock strong M8	
86		50027205 (5m), 50027241 (50m) 50027291 (100m)	Pakning sideplate uten glass	Gasket Side Plate Without Glass	LD 250-2 graph Ø6,4 950mm
		<b>F 135 cat. no. 30049128 BP</b>			
13	12051334		Side høyre sokkel BP	Side Right Base BP	Cast Iron min 4mm thickness
14	12051342		Sokkel bunn BP	Base Bottom BP	Cast Iron min 4mm thickness
15	12051343		Side venstre sokkel BP	Side Left Base BP	Cast Iron min 4mm thickness
16	12051344		Uteluft dekkseil BP	Cover Plate For Outside Air BP	Cast Iron min 4mm thickness
17	12051345		Sokkel bak BP	Back Plate Base BP	Cast Iron min 4mm thickness
20	12051350		Venstre sidestykke BP	Left Side Plate BP	Cast Iron min 4mm thickness
21	12051351		Høyre sidestykke BP	Right Side Plate BP	Cast Iron min 4mm thickness
42	10049619		Glass sides	Side Glass	Ceramic glass 4mm thick
49			Vermikulitt side med glass	Vermiculite Side With Glass	Vermiculite 600Kg/m <sup>3</sup>
54	12020930		Glassklips	Glass Clip	Stainless Steel
55	10026268		Beskyttelsehette M8 6K sort	Protection Cap M8 Hex Black	Ceramic glass 4mm thick
60	10023780		Skive Ø6,4xØ18x1.6 Elzn DIN 9021	Washer Ø6.4xØ18x1.6 Elzn DIN 9021	
61	10023666		Mutter sekskant med flens M6 DIN 6923	Nut Hexagon Cap Flange M6 DIN 6923	St8.8 / ANSI B18.2
62	10023547		Skrue sekskant med flens M6x35 DIN 6921	Screw Hex Cap Flange M6x35 DIN 6921	St8.8 / ANSI B18.2
70	10023561		Skrue sylh innv6k DIN7984 M6x8-8.8	Hex Socket Head Cap Screw DIN7984 M6x8-8.8	St8.8 / ANSI B18.2
71	10023464		Skive M6 Ø6,4xØ12,5x1.6 St8.8 Elzn DIN 125	Washer M6 Ø6.4xØ12.5x1.6 St8.8 Elzn. DIN 125	St8.8 / ANSI B18.2
76	10038455		Skrue senkh tre Ø5,0x50 TX	Screw Countersunk Wood Ø5,0x50 TX	
77	10023470		6kt skr M8x25 DIN933 8.8 Elzn	Hex Cap Screw DIN933-M8x25-8.8 Zinc Plated	
78	10049669		starlock sterk M8	Starlock strong M8	
87	10025215	50027204 (5m), 50027240 (100m)	Pakning sideglass L= 800mm	Gasket Side Glass L= 800mm	V-125x8 graph W/A L=800mm

		Jøtul F 130			
		Jøtul F 134 BP (sokkel / base / wo side window cat. No. 30049161			
		Jøtul F 135 BP (sokkel / base / w side window cat. No. 30049128			
		Jøtul F 136 BP (Søyle / pedestal / wo side window cat. no. 30049160			
		Jøtul F 137 BP (Søyle / pedestal / w side window cat. no. 30049135			
		BP= Sort lakk / Black Paint, UP= Ulakkert / Unpainted			
Pos. no.	Spareparts	Consist of pos.no:	Benevnelse	Description	Dim./Spec.
		<b>F 136 cat. no. 30049160 BP</b>			
9	12051352		Søyle side høyre BP	Pedestal Side Right BP	Cast Iron min 4mm thickness
10	12051353		Søyle bunn BP	Pedestal Bottom BP	Cast Iron min 4mm thickness
11	12051354		Søyle front BP	Pedestal Front BP	Cast Iron min 4mm thickness
12	12051355		Søyle side venstre BP	Pedestal Side Left BP	Cast Iron min 4mm thickness
18	12051346		Venstre sideplate uten glass BP	Left Side Plate Without Glass BP	Cast Iron min 4mm thickness
19	12051348		Høyre sideplate uten glass BP	Right Side Plate Without Glass BP	Cast Iron min 4mm thickness
48			Vermikulitt side uten glass	Vermiculite Side Without Glass	Vermiculite 600Kg/m <sup>3</sup>
55	10026268		Beskyttelsehette M8 6K sort	Protection Cap M8 Hex Black	Ceramic glass 4mm thick
72	10023667		Mutter sekskant med flens M8 DIN 6923	Nut Hexagon Cap Flange M8 DIN 6923	St8.8 / ANSI B18.2
73	10023665		Skrue sekskant med flens M8x40 DIN 6921	Screw Hex Cap Flange M8x40 DIN 6921	St8.8 / ANSI B18.2
74	10023663		Skrue sekskant med flens M8x25 DIN 6921	Screw Hex Cap Flange M8x25 DIN 6921	St8.8 / ANSI B18.2
75	10023465		Skrue sekskanthode M8x16 DIN 933	Screw Hexagon Cap M8x16 DIN 933	St8.8 / ANSI B18.2
76	10038455		Skrue senkh tre ø5x50 TX	Screw Countersunk Wood Ø5x50 TX	Steel
86		50027205 (5m), 50027241 (50m) 50027291 (100m)	Pakning sideplate uten glass	Gasket Side Plate Without Glass	LD 250-2 graph Ø6,4 950mm
		<b>F 137 cat. no. 30049135 BP</b>			
9	12051352		Søyle side høyre BP	Pedestal Side Right BP	Cast Iron min 4mm thickness
10	12051353		Søyle bunn BP	Pedestal Bottom BP	Cast Iron min 4mm thickness
11	12051354		Søyle front BP	Pedestal Front BP	Cast Iron min 4mm thickness
12	12051355		Søyle side venstre BP	Pedestal Side Left BP	Cast Iron min 4mm thickness
20	12051350		Venstre sidestykke BP	Left Side Plate BP	Cast Iron min 4mm thickness
21	12051351		Høyre sidestykke BP	Right Side Plate BP	Cast Iron min 4mm thickness
42	10049619		Glass sides	Side Glass	Ceramic glass 4mm thick
49			Vermikulitt side med glass	Vermiculite Side With Glass	Vermiculite 600Kg/m <sup>3</sup>
54	12020930		Glassklips	Glass Clip	Stainless Steel
55	10026268		Beskyttelsehette M8 6K sort	Protection Cap M8 Hex Black	Ceramic glass 4mm thick
70	10023561		Skrue sylh innv6k DIN7984 M6x8-8.8	Hex Socket Head Cap Screw DIN7984 M6x8-8.8	St8.8 / ANSI B18.2
71	10023464		Skive M6 Ø6,4xØ12,5x1.6 St8.8 ElZn DIN 125	Washer M6 Ø6.4xØ12.5x1.6 St8.8 Elzn. DIN 125	St8.8 / ANSI B18.2
72	10023667		Mutter sekskant med flens M8 DIN 6923	Nut Hexagon Cap Flange M8 DIN 6923	St8.8 / ANSI B18.2
73	10023665		Skrue sekskant med flens M8x40 DIN 6921	Screw Hex Cap Flange M8x40 DIN 6921	St8.8 / ANSI B18.2
74	10023663		Skrue sekskant med flens M8x25 DIN 6921	Screw Hex Cap Flange M8x25 DIN 6921	St8.8 / ANSI B18.2
75	10023465		Skrue sekskanthode M8x16 DIN 933	Screw Hexagon Cap M8x16 DIN 933	St8.8 / ANSI B18.2
76	10038455		Skrue senkh tre ø5x50 TX	Screw Countersunk Wood Ø5x50 TX	Steel
87	10025215	50027204 (5m), 50027240 (100m)	Pakning sideglass L= 800mm	Gasket Side Glass L= 800mm	V-125x8 graph W/A L=800mm
		<b>Floor Plate Glass (NO/SE/DK/FI) cat. no. 50049584</b>			
93	50049584		Gulvplate glass for NO/SE/DK/FI	Floor Plate Glass For NO/SE/DK/FI	WxDmm, 6mm thick, tempered
		<b>Floor Plate Glass (Germany) cat. no. 50049586</b>			
94	50049586		Gulvplate glass for Tyskland	Floor Plate Glass For Germany	
		<b>Floor Plate Steel (NO/SE/DK/FI) cat. no. 51049574</b>			
95	51049574		Gulvplate stål for NO/SE/DK/FI	Floor Plate Steel For NO/SE/DK/FI	WxDmm, 1,25mm thick, Black

		<b>Jøtul F 130</b>			
		<b>Jøtul F 134 BP (sokkel / base / wo side window cat. No. 30049161</b>			
		<b>Jøtul F 135 BP (sokkel / base / w side window cat. No. 30049128</b>			
		<b>Jøtul F 136 BP (Søyle / pedestal / wo side window cat. no. 30049160</b>			
		<b>Jøtul F 137 BP (Søyle / pedestal / w side window cat. no. 30049135</b>			
		<b>BP= Sort lakk / Black Paint, UP= Ulakkert / Unpainted</b>			
<i>Pos. no.</i>	<i>Spareparts</i>	<i>Consist of pos.no:</i>	<i>Benevnelse</i>	<i>Description</i>	<i>Dim./Spec.</i>
		<b>Floor Plate Steel (Germany) cat. no. 51049582</b>			
96	51049582		Gulvplate stål for Tyskland BP	Floor Plate Steel For Germany BP	
		<b>Spring Self Closing Door cat. no. 350998</b>			
97	350998		Selvlukkende dørmekanisme	Bauart 1 Feder	
104	10049685		Røykstuss DE	Smoke Outlet DE	
	51049717	97, 104	DE kit	DE kit	
					<i>Draw. no 900193-P02</i>